

Add a table map to your ServiceNow dynamic share/bulk share

Gold

ServiceNow table maps are typically used in [Perspectium Service Gateway integrations](#) to handle the mapping of fields in certain ServiceNow tables as data is shared out of your instance. You can include a table map as part of your ServiceNow dynamic share or bulk share to help with field mappings and data transformation.

Prerequisites

- ⚠ First, you will need to [commit a Perspectium update set](#) containing table maps to your ServiceNow instance.
- ⚠ You will also need to [create a ServiceNow dynamic share](#) or [bulk share](#).

Procedure

To add a table map to your ServiceNow dynamic share or bulk share, follow these steps:


1

Access your dynamic share or bulk share


Login to your sharing ServiceNow instance and navigate to **Perspectium > Replicator > Dynamic Share** or **Perspectium > Replicator > Bulk Share**. Then, click into the dynamic share or bulk share that you want to add a table map for.

2


Add your table map

Scroll down to the **Additional Settings** tab. Then, click  next to **Table map** and choose the table map you want to add from the resulting list.

NOTE: By selecting a table map, your dynamic share or bulk share's Encryption Method will default to **Base64 Encode Only**. Base64 encoding is used with table maps to ensure that data is mapped and transformed properly in the Perspectium Mesh.



The screenshot shows the ServiceNow interface for configuring a dynamic share. The left sidebar shows the navigation menu with 'Replicator' expanded. The main area is titled 'Replicator Configuration - example_dynamicshare [Shared view*]'. A blue banner at the top states: 'Table maps use Base64 encoding by default. Cipher has been changed to Base64 Encoding Only. For more information click [here](#)'. The configuration fields include: Name (example_dynamicshare), Direction (Share), Table (Catalog Task SLA [sc_task_sla]), Shared Records (0), Encryption Method (Base64 Encode Only), and Active (checked). Below these are tabs for Trigger Conditions, Additional Settings (selected), Filter and Enrichment, Scheduled Sync Up, Notes, and Business Rule. The Additional Settings tab contains several checkboxes for including journal fields, audit log, attachments, embedded images/videos, and referenced field records. On the right, there are checkboxes for Share Historical Data, Conditional Share, and Disable receipts. The 'Table map' dropdown is highlighted with a red arrow and the text 'Choose a table map'. The 'Target queue' is set to 'psp.out.replicator.examplequeue'. At the bottom are buttons for Update, Run a Bulk Share, Test Record, and Delete.



Save your dynamic share or bulk share

Click **Update** in the upper right-hand corner of the form to save the changes to your dynamic share or bulk share.

Similar topics

- [Create a ServiceNow table map](#)
- [Field Mappings in Table Maps](#)
- [Preview Output](#)
- [Add a table map to your ServiceNow dynamic share/bulk share](#)
- [Always share field](#)

Contact Perspective Support



US: **1 888 620 8880**

UK: **44 208 068 5953**

support@perspectium.com