

Configure your Observer properties in ServiceNow

Gold

Prerequisites

⚠ First, [install Observer for ServiceNow](#).

Procedure

To make changes to the Observer properties, follow these steps:

1

Navigate to Perspectium Observer Properties

Log into your ServiceNow instance and navigate to **Perspectium > Observer > Properties**.

2

Enable all script actions

To enable all script actions when running [Start All Jobs](#) for Observer, select **Enable all script actions when running Start All Jobs**



Perspectium Observer Properties

Observer UI URL

Enable limiting the maximum number of Observer messages in the Outbound Messages

☐

The maximum number of Observer messages in the Outbound Messages queue (once enabled limiting option above selected)

Enable a time period daily when Observer will not send data (when enabled, data will not be sent during the specified time period)

☐

Stop Running At

Start Again At

Enable all script actions when running Start All Jobs

☒

Include usernames/email addresses in top ten health check results

☐

Save

If not selected, then any script actions that are disabled will not be automatically restarted when Start All Jobs is ran.

3

Enable / Disable other properties

Property	Description
Enable limiting the maximum number of Observer messages in the Outbound Messages	Limit the number of Observer messages in your outbound message with a specified number.
Enable a time period daily when Observer will not send data	Only allows data to be sent over to your Observer at a specified time.
Include usernames/email addresses in top ten health check results	<p>Allow user names and email addresses to be included in data sent to the Integration Mesh for displaying in the Observer Health Check.</p> <p>Since the Health Check queries for metrics from your instance like top ten SQL queries ran, these queries can include your username or email address in there and will be sent to the Mesh if you select this feature.</p> <p>Otherwise these metrics will be sent with a generic metric name such as Slow SQL query 3 if this feature is not selected.</p>

4

Prevent script actions from being re-enabled (Optional)

If you want certain script action to not be recreated when running Start All Jobs, you can prepend "X_" to the tag of the corresponding Event Subscription

servicenow Service Management

System Administrator

Event subscription

Perspective Event Subscription

X_S

Event login.failed

Script Action psp event: login.failed

Flags H, M, L are reserved

Flag X_S

Value

1 answer = event.parm1 + "|" + event.parm2

Update Delete

Prepend "X_" so that this event subscription trigger the recreation of a script action

Similar topics

- [Execute bulk shares for a group share](#)
- [Modify an existing group share](#)
- [Reorder bulk shares in a group share](#)
- [Create a copy of a group share](#)
- [Delete a group share](#)

Contact Perspective Support



US: 1 888 620 8880

UK: 44 208 068 5953

support@perspectium.com