

Uninstall the DataSync Agent

The following are commands to uninstall the **DataSync Agent** from a command line interface on [supported Windows and Linux devices](#).

- The **DataSync Agent** can be installed and ran as a service. If you are performing a complete removal it is recommended to first uninstall the Agent as a service.
- After installing the **DataSync Agent**, the agent will notify you that an uninstaller program has been created within the **Uninstaller** folder. The uninstaller will remove everything barring the log files/folder. The uninstaller will delete everything, including the root Perspectium folder, if the “logs” folder is empty.

Linux

Uninstall the Service

Execute the following commands in the root directory of the Agent:

```
<agent_folder>/bin/uninstallDaemon.sh
```

Uninstall the Agent

Execute the following commands in the root directory of the Agent:

```
java -jar <agent_folder>/Uninstaller/uninstaller.jar
```

 **NOTE:** You could also double click/open the jar file in your file system.

The uninstaller is generated on installation and if you change the name of the root Perspectium Folder than the uninstaller will not remove anything. The name of the original directory should be stored in *Uninstaller/installSummary.htm*.

Windows

Uninstall the Service

Double-click the following file in the **bin** folder to initiate uninstalling your DataSync Agent:

```
uninstallService.bat
```

Uninstall the Agent

Execute the following commands in the root directory of the Agent:

```
java -jar Uninstaller/uninstaller.jar
```

 **NOTE:** You could also double click/open the jar file in your file system.

The uninstaller is generated on installation and if you change the name of the root Perspectium Folder than the uninstaller will not remove anything. The name of the original directory should be stored in *Uninstaller/installSummary.htm*.