


Distribute bulk share workload

Fluorine

By default, [bulk shares](#) will run on the same node within your ServiceNow instance. However, if you are running multiple [bulk shares](#) or [scheduled bulk shares](#), you may want to distribute the work load of your bulk shares by allowing bulk shares to run on multiple nodes in your instance.

Prerequisites

 First, you will need to follow the steps to [get started with Replicator](#) and [create a bulk share](#).

Procedure

To distribute your bulk share's workload across multiple nodes, follow these steps:

1

Log into your sharing ServiceNow instance and navigate to **Perspectium > Replicator > Bulk Share** or simply type and then click **Bulk Share** in the Filter Navigator on the upper left-hand side of the screen.

2

On the right-hand side of the form, check the **Advanced** box.

3

Scroll toward the bottom of the form and click the **Advanced** tab. Then, check the **Distribute bulk share workload** box to start distributing your bulk shares across multiple nodes.

4

In the bottom left-hand corner of the form, click **Update** to save your changes.

Similar topics

- [Create a ServiceNow bulk share](#)
- [Create a scheduled bulk share](#)
- [Bulk share history set data](#)
- [Copy bulk share configurations](#)
- [Disable bulk sharing of child records](#)

Contact Perspectium Support



US: **1 888 620 8880**

UK: **44 208 068 5953**

support@perspectium.com